Sawn Materials.

Teak Rafters and planks	3,500	C.ft.
Beete do do	200	,,
Other kinds do	2,500	,,
Total	6,200	C.ft.
Teak Reepers	25,000	R.ft.
Other kind Reepers	15,000	,,
Teak spokes	1,600	Nos.
Do Felloes	100	,,

M. A. MUTHANNA,
District Forest Officer.

KADUR FOREST DIVISION.

Abstract Notification dated 2nd April 1940.

The attention of the public is invited to the detailed notification, calling for tenders for the weighment of rough and prepared sandalwood in Chikmagalur Koti in connection with the Annual Stock-taking for 1939-40, published on pages 759-760, Part VI of the *Mysore Gazette*, dated 4th April 1940.

The last date for receiving tender is 22nd April 1940.

B. T. THIMMARAYAPPA,
District Forest Officer.

CHITALDRUG DISTRICT.

Abstract Notification dated 29th March 1940.

The attention of the public is invited to the detailed Notification, dated the 29th March 1940, regarding the resale of Tangadi and Kakke bark leases of the several units in the Chitaldrug Division, published on page 706 of Part VI of the *Mysore Gazette*, dated the 4th April 1940.

L. SRINIVASA MURTY,
District Forest Officer.

ENGINEERING DEPARTMENT

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 30th March 1940.

The attention of public is hereby invited to the detailed notification, calling for tenders for improving Scavangers' Lines, Mysore Infantry, Hebbal, Bangalore, published in pages 707-708 of Part VI of the *Mysore Gazette*, dated 4th April 1940.

The last date of tender is 19th April 1940.

Abstract Notification dated 30th March 1940.

The attention of the public is hereby invited to the detailed notification, calling for tenders for constructing ten married men's quarters in Mysore Transport, Hebbal, Bangalore, published in pages 749-750, Part VI of the *Mysore Gazette*, dated 4th April 1940.

The last date of tender is 22nd April 1940.

Notification dated 10th April 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. of 29th April 1940, for constructing Central College Old Boys' Association building at Bangalore. An approximate estimate of quantities is given

below. These quantities are not guaranteed. The work should be completed by the end of October 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained at four annas per copy from the Executive Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 300 (Rupees three hundred) in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for constructing Central College Old Boys' Association building at Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Tenders must be given in words, as well as in figures and they must be in specific term of unit shown against each item of work. Any tender quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for the proposed Central College Old Boys' Association building at Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation and filling in basement	C.yd.	..	226	
2	Stone jelly concrete in lime mortar in foundation with proper tamping	C.ft.	..	1,581	
3	Size stone in mud with bond stones at 6' apart in foundation	,,	..	3,127	
4	Size stone in mud basement joints dressed and quoin dressed	,,	..	806	
5	Bunrt stone slabs 6" thick all the exposed faces two line dressed and fixed in mortar	S.ft.	..	680	
6	Burnt stone slabs 6" thick roughly dressed and fixed in mortar for lintels over windows and doors	,,	..	202	
7	Burnt brick in mud for superstructure	C.ft.	..	3,083	
8	Burnt brick in lime mortar for sides of doors and windows	,,	..	1,426	
9	Burnt brick in lime mortar for pillars with bond slabs at every 3' in height	,,	..	216	
10	Providing and fixing teak wood doors frame 4"×5", 1½" thick shutters ⅓ panelled and ⅔ glazed as per design with brass fittings and top ventilators	S.ft.	..	241	
11	Preparing and fixing teakwood windows 4"×5" frame 1½" thick shutters fully glazed with brass fittings with top ventilators	,,	..	558	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
12	Supplying and fixing Tata's tested rolled steel joists including hoisting, painting, etc., complete	Cwt.	..	45	
13	Roofing with R.C.C. 1 : 2 : 4 cement concrete of 6″ thickness with necessary reinforcements 6″ to 9″ surki concrete and 2 courses of flat tiles with plastering at top and bottom as per design	Sqr.	..	17·03	
14	R.C.C. chejja in cement concrete with necessary reinforcements	,,	..	5·58	
15	R.C.C. partition wall at bath with necessary reinforcements and 1 : 2 : 4 cement concrete	S.ft.	..	142	
16	1½″ cement concrete flooring (1 : 2½ : 5) over 3″ jelly concrete well tamped with ½″ thick cement mortar plastering mixed with red cement and giving good finish	Sqr.	..	14·55	
17	Lime mortar plastering	,,	..	63·00	
18	White-washing 2 coats	,,	..	40·00	
19	Colour washing 2 coats	,,	..	22·91	
20	Burnt brick in lime mortar parapet wall ¾′ thick and 1½′ high including providing and fixing R. C. pannels as per design and lime mortar plastering white and colour washing	R.ft.	..	190	
21	Lac Factory green painting to doors and windows (3 coats)	Sqr.	..	16·90	
	(*a*) Rain water pipes	R.ft.	..	..	
22	Cement pointing to basement	,,	..	3·80	

Notification dated 12th April 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. of 4th May 1940, for improvements to Kannada Boys' Middle School at Sultanpet, Bangalore City. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of October 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained at four annas a copy, from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 170 (one hundred and seventy only) in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for improvements to Kannada Boys' Middle School at Sultanpet, Bangalore City, in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Tenders must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any tender quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for improving the Kannada Boys' Middle School at Sultanpet, Bangalore City.

No.	Items of work	Unit	Rate	Quantity	Cost
	I. Dismantling a portion of old carpentry class and compound wall.		Rs. a. p.		Rs.
1	Removing and stacking Mangalore tiled roofing including removing reepers	Sqr.		18·46	
2	Removing and stacking ridge tiles	R.ft.		69	
3	Removing and stacking wooden couples	No.		21	
4	Removing and stacking 4″×6″ Bressumer	R.ft.		27	
5	Do do doors	No.		6	
6	Do do windows	,,		4	
7	Do do ventilators	,,		3	
8	Do do expanded metal frame work	S.ft.		177	
9	Dismantling brick walls and removing debris to the required distance	C.ft.		2,508	
10	Do basement portion	,,		363	
11	Removing and stacking Cuddapah slab flooring	Sqr.		6·03	
12	Do Lintel slabs	S.ft.		320	
13	Dismantling latrine and removing the same	C.ft.		320	
14	Levelling and forming site	L. S.			
15	Carting materials to Division Office stores	,,			
	II. Constructing 2 rooms (17×15¼) *and a flush-out latrine* (15¼×7) *as per plan.*				
1	Earthwork excavation for foundation	C.yd.		104	
2	Stone jelly (1″ to 1¼″ size) concrete in surki mortar for foundation	C.ft.		563	
3	Size stone in mud for foundation including bond stones at 6′ apart	,,		1,313	
4	Size stone in mud for basement with bond stones at 6′ apart	,,		334	
5	Burnt brick in mud superstructure	,,		1,452	
6	Burnt brick in mortar	,,		625	
7	Repairing and fixing old doors with necessary iron fittings, etc., complete	S.ft.		91	
8	Repairing and fixing old windows with necessary iron fittings, etc., complete	,,		48	
9	Preparing and fixing new T. W. windows 3″×4″ frame work with 1¼″ thick shutter pannelled including ¾″ round iron bars 4″ apart with all necessary iron fittings, complete	,,		84	
10	Providing and fixing 1½″ thick reinforced cement concrete ventilators as per design	,,		77	
11	Providing and fixing 6″ thick burnt stone slabs fixed in mortar for sills and lintels	,,		270	
12	Burnt stone slabs, 6″ thick, two lines dressed and fixed in mortar	,,		66	
13	Fixing old couples in position with necessary repairs	Each		11	
14	T. W. wrought and put up with wood oiling	C.ft.		42·63	
15	Roofing with new Mangalore first class tiles on new T. W. reepers 2″×1″	Sqr.		6·26	
16	Clearing and fixing old Mangalore tiles on new T. W. reepers 2″×1″	,,		13·84	
17	New First Class Mangalore ridge tiles set in mortar including cement pointing	R.ft.		26	
18	Cleaning and fixing old Mangalore ridge tiles set in mortar including cement pointing	,,		41	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
19	Flooring with old Cuddapah slab on a bed of 3″ stone jelly concrete and cement pointed ..	Sqr.	..	5·17	
20	Flooring with 1½″ cement concrete (1 : 2 : 4) on a bed of 4″ stone jelly concrete and ½″ cement plastering finish	,,	..	1·07	
21	Constructing 4½″ thick brick wall in cement mortar 1 : 6 for latrine walls including cement plastering, etc., complete ..	S.ft.	..	116	
22	Providing and fixing T. W. battened doors including plugs for holding hinges in wall and all necessary iron fittings, etc., complete	,,	..	44	
23	Cement mortar (1 : 3) plastering inside up to sill level	Sqr.	..	5·12	
24	Lime mortar plastering ¾″ thick for brick wall including racking out joints	,,	..	38·74	
25	White-washing 2 coats	,,	..	50·43	
26	9″×4½″ burnt brick in mortar, mortar band including lime mortar plastering and white-washing	R.ft.	..	56	
27	Cement mortar pointing including cutting lines for basement	Sqr.	..	2·46	
28	T. W. eave board 9″ depth ¾″ thick including 2 coats of painting	R.ft.	..	168	
29	Two coats of Lac Factory green painting for doors and windows	Sqr.	..	5·34	
30	Fixing old expanded metal with new T. W. frame work including painting	S.ft.	..	132	
31	Providing and fixing glass Mangalore tiles ..	No.	..	18	
	III. Alterations in Main Building.				
1	Removing the doors marked in the plan ..	Each	..	3	
2	Dismantling the wall for inserting doors and windows	C.ft.	..	203	
3	Removing windows marked F in the plan ..	No.	..	2	
4	Repairing and fixing old door with necessary iron fittings	S.ft.	..	68	
5	Repairing and fixing old windows with necessary iron fittings	,,	..	24	
6	Old brick in lime mortar for sides of doors and windows	C.ft.	..	100	
7	Removing and fixing old lintels over doors and windows	S.ft.	..	62	
8	Old brick in mud	C.ft.	..	189	
9	Lime mortar plastering	Sqr.	..	6·30	
10	Fixing old expanded metal with new T. W. frame work including 2 coats of painting ..	S.ft.	..	24	
	IV. Reconstructing Compound Wall.				
1	Earthwork excavation for foundation ..	C.yd.	..	11	
2	Old stone in mud	C.ft.	..	390	
3	Old brick in mud superstructure as per existing compound wall	,,	..	533	
4	Coping with new brick in lime mortar including lime mortar plastering, etc., complete including 2 coats of white-washing	R.ft.	..	130	
5	Lime mortar plastering	Sqr.	..	9·20	
6	Cement pointing for stone work	,,	..	2·60	

M. K. RAJAM IYENGAR,
Executive Engineer.